

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 136 560 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication:

26.09.2001 Bulletin 2001/39

(51) Int Cl.7: **C12N 15/82, A01H 5/00**

(21) Application number: **99974093.9**

(86) International application number:

PCT/JP99/05386

(22) Date of filing: **30.09.1999**

(87) International publication number:

WO 01/25459 (12.04.2001 Gazette 2001/15)

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**

• **KOMARI, Toshihiko, Japan Tobacco Inc.**

Iwata-gun, Sizuoka 438-0802 (JP)

• **HIEI, Yukoh, Japan Tobacco Inc.**

Iwata-gun, Sizuoka 438-0802 (JP)

(71) Applicant: **Japan Tobacco Inc.**

Tokyo 105-8422 (JP)

(74) Representative:

Reinhard - Skuhra - Weise & Partner

Postfach 44 01 51

80750 München (DE)

(72) Inventors:

• **KURAYA, Yoshiki, Japan Tobacco Inc.**

Iwata-gun, Sizuoka 438-0802 (JP)

(54) VECTORS FOR TRANSFORMING PLANTS

(57) Vectors for transforming plants with the use of agrobacteria which have been modified so as to elevate the possibility of the recognition of the border sequences of the vectors by vir proteins of the agrobacteria, thereby lowering the possibility of the transfer of DNAs other than T-DNA into plant chromosomes. More particularly, the above-vectors are those to be used in transforming

plants which have right and left border sequences which can be recognized by the vir proteins of the agrobacteria, a T-DNA sequence which is located between these border sequences and into which a gene to be transferred into plants can be inserted, and a replication origin enabling the replication of the vectors in bacteria, characterized by having a plural number of left border sequences.

EP 1 136 560 A1

D r i p t l n

TECHNICAL FIELD

5 [0001] The present invention relates to plant transformation vectors, more particularly, vectors useful in *Agrobacterium*-mediated plant transformation. The invention further relates to a method of transforming plants using the vectors. The invention is particularly useful for generating transgenic plants that may be taken as food.

BACKGROUND ART

10 [0002] It has long been known that *Agrobacterium* (*Agrobacterium tumefaciens*), is a soil bacterium which causes Crown gall disease in many dicotyledonous plants. In the ninety-seventies, it was found that the Ti plasmid of *Agrobacterium* is involved in pathogenicity and that T-DNA which is part of the Ti plasmid is integrated into the plant genome. It was later revealed that the T-DNA contained the hormone synthesis genes (cytokinins and auxins) necessary for crown gall tumorigenesis and that those genes, although derived from bacteria, are expressed in plants. A group of genes that are located in the virulence region (*Vir* region) of the Ti plasmid are necessary to the excision of T-DNA and its transfer to plants, and furthermore, the border sequences that are located on opposite ends of T-DNA are required for the excision, which are called the right border sequence and the left border sequence. *Agrobacterium rhizogenes*, another *Agrobacterium* species has a similar system involving the Ri plasmid.

20 [0003] Stated more specifically, the proteins produced on the basis of the genes located in the *vir* region (*vir* proteins) recognize the right and left border sequences to integrate the T-DNA located between the border sequences into plant genome. This function provided the basis for the transformation of plants with a foreign gene pre-inserted into T-DNA, thereby giving rise to the development of *Agrobacterium*-mediated plant transformation technology.

25 [0004] Most recently, however, several reports have appeared describing that, in certain kinds of plants, it is sometimes observed that T-DNA is not excised at the border sequences, and hence, T-DNA can be transferred into the plant chromosome together with a region adjacent to T-DNA (Ramanathan et al., Plant Molecular Biology 28, 1149-1154 (1995), and Kononov et al., Plant Journal 11, 945-957 (1997)). If a DNA element other than T-DNA is co-transferred, the resulting transgenic plants will be suspected of having unexpected characteristics, which could have a negative impact on public acceptance of food products made of transgenic plants. It is therefore desired to develop a method whereby it can be ensured that unnecessary non-T-DNA sequences of *Agrobacterium* will not transfer to plant chromosomes.

30 [0005] The inventors supposed that the *vir* proteins of *Agrobacterium* sometimes fail to recognize the border sequences and this may explain the reason why non-T-DNA is transferred into plant chromosome together with T-DNA. No vectors have yet been developed that can suppress or reduce the transfer of non-T-DNA segment with a view to solving said problem.

35 [0006] Based on the above supposition, the inventors have conducted intensive studies for creating vectors for use in *Agrobacterium*-mediated transformation. In order to reduce the probability that non-T-DNA element is transferred to plant chromosome the inventors modified the vector with a view to increasing the efficiency of the *vir* proteins of *Agrobacterium* to recognize the border sequence/s. As a result, it has been found that while two border sequences exist in the transformation vector, the probability of the integration of non-T-DNAs can be reduced by providing a plurality of left border sequences. The present invention has been accomplished on the basis of this finding.

SUMMARY OF THE INVENTION

45 [0007] The present invention provides a plant transformation vector based on the function of *Agrobacterium*, wherein the left border sequence has been modified such as to reduce the possibility of the integration of any non-T-DNA segment into plant chromosomes. More particularly, the invention provides a plant transformation vector comprising a right border sequence and a left border sequence that can be recognized by the *vir* proteins of *Agrobacterium*, a T-DNA region located between these border sequences and into which a gene to be introduced into the plant can be inserted, and a replication origin (*ori*) that enables replication of said vector in bacteria (e.g. *Agrobacterium* and bacteria for vector amplification), wherein said left border sequence has been modified such as to reduce the possibility of integration of any non-T-DNA sequence into plant chromosomes.

BRIEF DESCRIPTION OF THE DRAWINGS

55 [0008]

Fig. 1 shows vector pSLB0 used in the Example; this vector was prepared from pSB11 by modifying it to have

within the T-DNA region a cassette, for expressing the hygromycin resistance gene under control of a ubiquitin promoter and a ubiquitin intron, then inserting a cassette for expressing the GUS gene containing a catalase intron under control of a ubiquitin promoter, at the site recognizable by restriction enzyme *Stu*I; and

Fig. 2 shows maps of the areas of vectors pSLB0, pSLB2 and pSLB3 in the neighborhood of the left border sequence (which is hereunder sometimes referred to as LB). To prepare pSLB2 and pSLB3, a synthetic DNA fragment having two or three left border sequences was inserted into pSLB0 between LB and the GUS expressing cassette at the restriction site of *Pvu*II. In pSLB2, two left border sequences were inserted by the synthetic DNA fragment (the inserted left border sequence/s is hereunder referred to as sLB) to give a total of three LBs, and in pSLB3, three sLBs were inserted by the synthetic DNA fragment to give a total of four LBs.

DETAILED DESCRIPTION OF THE INVENTION

(1) Vector preparation

[0009] The vector of the invention has the left border sequence modified to operate such as to reduce the possibility of the integration of an unnecessary DNA sequence/s, i.e. a non-T-DNA sequence/s into plant chromosomes. In a preferred embodiment, the invention provides the vectors having the left border sequence modified such as to comprise the placement of more than one DNA sequence that can be recognized by *vir* proteins (e.g. a known left border sequence).

[0010] DNA fragments comprising more than one left border sequence can be prepared by various known methods on the basis of known border sequences. For example, one can synthesize a single-stranded DNA molecule having the same sequence as a left border sequence which is contained in an available Ti plasmid, prepare the double-stranded DNA molecule from the single strand, and if necessary, link two or more of such double-stranded DNAs together. The obtained DNA fragment can be then inserted into a plant transformation vector at a suitable restriction site nearby up/downstream of the existing left border sequence located downstream of the T-DNA region. In this way, the vector of the invention can be easily constructed.

[0011] The plant transformation vector from which the vector of the invention can be prepared by modifying its left border sequence should at least have a right and a left border sequences that can be recognized by *vir* proteins, a T-DNA sequence located between the right and left border sequences and into which can be inserted a gene to be introduced into the plant, and a replication origin that can operate in bacteria for replication of the vector (e.g. *Escherichia coli*). The preferred plant transformation vector has a replication origin that can operate in *Agrobacterium*.

[0012] As long as these requirements are satisfied, various vectors can be modified on the left border sequence. For example, the various vectors used in the following plant transformation methods based on *Agrobacterium* can be modified:

(i) a small intermediate cloning vector having right and left border sequences and which has a foreign gene inserted into T-DNA, and an acceptor Ti plasmid having the *vir* region are subjected to homologous recombination to prepare a hybrid Ti plasmid vector, and the plant is infected with *Agrobacterium* containing the hybrid Ti plasmid vector;

(ii) a foreign gene is inserted into the T-DNA region of a small Ti plasmid having no *vir* region (the plasmid is commonly called a mini plasmid or a micro Ti plasmid and is capable of replication in many bacteria) and the plasmid is introduced into *Agrobacterium* which harbors a plasmid having the *vir* region but no T-DNA, and the plant is infected with the *Agrobacterium* containing the two plasmids;

(iii) a small intermediate cloning vector having a right and a left border sequences and which has an foreign gene inserted into T-DNA, and an acceptor Ti plasmid having a portion of the *vir* region (i.e., *vir* gene lacking a portion of the full length of the *vir* region) are subjected to homologous recombination to prepare a hybrid Ti plasmid vector, the hybrid Ti plasmid vector is introduced into *Agrobacterium* which has the *vir* region (full length) harboring but T-DNA deficient plasmid introduced in it, and the plant is infected with the *Agrobacterium* containing the two plasmids. The various vectors used in these methods can be modified on the left border sequence. Small Ti plasmids with a modification on the left border sequence are easy to handle in operations such as for modifying the foreign gene in T-DNA and hence are a preferred embodiment of the vector of the invention. Examples of such small Ti plasmids include pBI101 and pBI121 (both being available from CLONTECH), as well as pSB11 which was used in the Example to be described later.

[0013] The concept of the invention is applicable not only to the Ti plasmid but also to the Ri plasmid.

[0014] The vector of the invention may contain a marker gene in the T-DNA sequence that permits selection of the transformant, such as an antibiotic resistance gene or a luminescence gene. To be specific, commonly used marker genes may be employed in the usual manner and they include antibiotic resistance genes such as those conferring resistance to tetracycline, ampicillin, kanamycin, neomycin, hygromycin and spectinomycin, and luminescence genes

such as the luciferase gene, β -galactosidase, green fluorescence protein (GFP), β -lactamase and chloramphenicol acetyl transferase (CAT) genes. Besides these genes, the vector may contain another marker gene outside of the T-DNA sequence, preferably downstream of the left border sequences. The marker gene placed in that position is useful for evaluating the effectiveness of the modified border sequences.

[0015] The term "replication origin" as used in this specification means a specific DNA region in which the replication reaction is initiated, commonly called *ori*.

(2) Transformation

[0016] To use the vector of the invention, a foreign gene for the intended transformation is inserted into the T-DNA region. The foreign gene to be inserted usually contains a promoter that can operate in the host plant and the structural gene encoding the characteristic to be conferred to the plant linked downstream of the promoter. If necessary, more than one gene may be linked together and, in addition or alternatively, a sequence for enhancing the efficiency of expression may be interposed between the promoter and the downstream structural gene before insertion into the T-DNA region.

[0017] Before being introduced into a target plant, the vector of the invention which harbors the foreign gene is introduced into a bacterial of *Agrobacterium* species capable of infecting the plant (e.g. *Agrobacterium tumefaciens*). To this end, various methods well known to the skilled artisan can be employed. For example, the vector may be transferred into the *Agrobacterium* by conjugation; if possible, the *Agrobacterium* may be directly transformed with the vector of the invention containing the foreign gene.

[0018] Conventional techniques may be employed to infect the plant with the *Agrobacterium* containing the vector of the invention and they include, for example, wounding part of the plant body and infecting it with the bacterium, infecting the callus with the bacterium, co-cultivating the protoplast and the bacterium, and co-cultivating slices of the leaf tissue together with the bacterium. The transformed cells obtained by these methods can be selected by using the suitable selection marker/s or assaying if they express the intended characteristic. The transformed cells may further be differentiated by the prior art technology to yield a recombinant plant body.

[0019] In order to integrate that T-DNA containing the foreign gene into the chromosomal DNA in the plant, the *vir* region is necessary. The *vir* region may be supplied from the vector having the foreign gene or from a different vector.

[0020] The plant cells transformed with the vector of the invention may be differentiated by the prior art technology to yield a recombinant plant body. The transformed plant may be selected by using a suitable selection marker or assaying if it expresses the intended characteristic.

[0021] Whether a DNA sequence/s unnecessary for the intended transformation has been integrated into plant chromosomes or not can be determined by various methods well known to the skilled artisan. For example, oligonucleotide primers are synthesized on the basis of the vector DNA sequence/s outside the borders and with these primers, PCR is performed to analyze the chromosomal DNA sequences in the transformed plant. In the case of transformation with a vector that contains a marker gene outside the T-DNA sequence, analysis can be done by assaying if the marker gene has been expressed.

[0022] The vector of the invention is characterized by its function to reduce the possibility of the integration of a DNA sequence/s unnecessary for the intended transformation. The term "to reduce the possibility of the integration" means that, compared to the use of a vector which is not modified on the left border sequence, the frequency of the integration of the unnecessary DNA sequence/s into host chromosomes is low, or the length of the integrated unnecessary sequence is short, or there is no such integration and; in addition or alternatively, compared to the use of a vector which is not modified on the left border sequence, the frequency of unintended transformation is low, or unintended transformation is slight, or there is no occurrence of such transformation. The term "DNA sequence unnecessary for the intended transformation" means a portion or fragment of the DNA sequence located outside the T-DNA sequence in the vector (namely, non-T-DNA). It does not matter whether it is functional by itself or encodes a polypeptide or protein.

[0023] Various plants can be transformed by the transforming method of the invention and they include monocotyledonous plants such as maize, sorghum, triticale, barley, oats, rye, wheat, onion and rice, and dicotyledonous plants such as soybean, alfalfa, tobacco, rape, sunflower, potato, pepper and tomato. The method of the invention can reduce the possibility of the integration of a DNA sequence/s unnecessary for the intended transformation into plant chromosomes and the transgenic plants obtained by using the transformation method are less likely to have unexpected characteristics. Therefore, the method of the invention is suitable for transforming plants that can be taken as food by other organisms and regarding which there is particular concern about the possibility that the non-T-DNA sequence/s will transfer into plant chromosomes by *Agrobacterium*-mediated transformation. The method is most suitable for transforming monocotyledonous plants, in particular, rice.

[0024] Unless otherwise noted, the term "plant or plants" as used in the specification covers not only a plant body (individual) but also its seed (germinated or immature), part (leaf, root, stem, flower, stamen, pistil or slices of these), culture cell, callus and protoplast.

ExemplExample 1

5 (1) Preparing vectors

[0025] Plasmid vector pSB11 (Genbank Accession No. AB027256, Komari et al., Plant Journal 10, 165-174 (1966)) was modified to have within the T-DNA region a cassette for expressing the hygromycin resistance gene (HPT) by means of a ubiquitin promoter and a ubiquitin intron (Christensen et al., Plant Molecular Biology 18, 675-689 (1992) and into the plasmid, a cassette for expressing a catalase intron containing GUS gene (Ohta et al., Plant Cell Physiology 31, 805-813 (1990)) by means of a ubiquitin promoter was inserted at the site recognizable by restriction enzyme *Stu*I. The thus prepared plasmid was designated pSLB0 (see Fig. 1 and SEQ ID:NO. 1). The nucleotide sequence of pSLB0 is shown as SEQ ID:NO. 1.

10 [0026] Then, based on the nucleotide sequence of Ti plasmid pTiAch5 (Genbank Accession No. K00548), a synthetic DNA containing a left border sequence (hereunder abbreviated as LB) and the complementary synthetic DNA were prepared, they were annealed and processed to form blunt ends, and then used to prepare DNA fragments respectively having two and three LB sequences. The nucleotide sequences of the two synthetic DNAs are shown as SEQ ID:NO. 2 and SEQ ID:NO. 3. Each of the DNA fragments was inserted into pSLB0 between LB and the GUS expressing cassette at the site recognized by restriction enzyme *Pvu*II; in this way, vectors were prepared that had more than one 20 LB attached. The vector having two of the LB introduced by the synthetic DNA (which is hereunder sometimes referred to as sLB) to give a total of three LBs was designated pSLB2, and the vector having three sLBs introduced to give a total of four LBs was designated pSLB3 (for the maps of areas of pSLB0, pSLB2 and pSLB3 in the neighborhood of the synthetic LBs, see Fig. 2). Each of these three plasmids was introduced into *Agrobacterium tumefaciens* LBA4404 which already had plasmid vector pSB1 introduced (Genbank Accession No. AB027255, Komari et al., Plant Journal 25 10, 165-174 (1996)). They were subjected to the following tests.

(2) Transformation

[0027] Calli derived from the immature embryo of rice variety "Asanohikari" were transformed with LBA4404(pSLB0), 30 LBA4404(pSLB2) and LBA4404(pSLB3) in accordance with the method of Hiei et al. (Hiei et al., Plant Journal 6, 271-282 (1994)).

(3) Analysis of the expression of GUS gene in transformants

35 [0028] Some leaves of the hygromycin-resistant plants obtained in Example 2 were stained with X-Gluc to check for the expression of the GUS gene. Seventeen out of the 340 plant individuals transformed with LBA4404(pSLB0) expressed the GUS gene, indicating that *Agrobacterium* derived DNA outside the border sequences was introduced into 5% of the plant individuals transformed with the conventional vector having only one LB. On the other hand, the number of plant individuals transformed with LBA4404(pSLB2) and LBA4404(pSLB3) and which expressed the GUS gene 40 decreased with the increasing number of synthetic LBs (Table 1). This indicates that the integration of synthetic LBs into the vector decreased the likelihood for DNA beyond the left border sequence to be transferred to the plant.

(4) Analysis of genomic DNA in the individuals not expressing the GUS gene

45 [0029] In some of the individuals that did not express the GUS gene in (3), DNA beyond the left border sequence may have been introduced into plant chromosomes but not far enough to the ubiquitin promoter for triggering the expression of the GUS gene. To verify this possibility in each group of plants that did not express the GUS gene, about 60 independent transformants were randomly chosen and genomic DNA was extracted and subjected to PCR analysis. The primers used in PCR analysis were so prepared as to permit amplification of the region extending from a location 50 between the inherent LB and the synthetic LB to a location in the GUS gene. The sequences of the primers are shown as SEQ ID:NO. 4 and SEQ ID:NO. 5.

[0030] As a result of the PCR analysis, seven out of the 67 plant individuals (10.4%) transformed with LBA4404 (pSLB0) showed DNA amplification, revealing that when the conventional vector having only one LB was used, *Agrobacterium* derived DNA other than the desired T-DNA was integrated into chromosomes in the created transformants with a frequency of 10.4% or higher. In contrast, DNA amplification was found to take place in none of the plant individuals transformed with LBA4404(pSLB2) and LBA4404(pSLB3) that had synthetic LBs.

[0031] The results are shown in Tables 1 and 2.

Table 1.

Analysis for the Expression of GUS Gene		
Vector	Number of transformants	Percentage of GUS expressing plants
pSLB0	340	5.0
pSLB2	327	1.2
pSLB3	370	0.8

Table 2.

Analysis of Genomic DNA		
Vector	No. of plants from which DNA was extracted	No. of plants in which DNA was amplified by PCR
pSLB0	67	7
pSLB2	55	0
pSLB3	58	0

[0032] As can be seen from the above, the present invention decreased the integration of a DNA sequence/s outside the border sequences in plant chromosomes and made it possible to increase the efficiency of introducing only the intended T-DNA.

[0033] The foregoing description of the invention concerns primarily the use of two or more left border sequences, which may be derived from the same or different species of *Agrobacterium*. It should, however, be stressed that the fundamental concept of the invention lies in modifying the left border sequence in plant transformation vectors such that it can be recognized by *vir* proteins more efficiently to reduce the integration of any unnecessary non-T-DNA sequence to plant chromosomes. Therefore, the present invention embraces all vectors that have the modified left border sequence/s capable of achieving the same result. In addition to the examples described above, the modified left border sequences include the following: (1) those sequences which are derived from the sequence already existing in relevant plasmids by deletion, substitution or addition of one or more nucleotides in the existing left border sequence to be recognized by *vir* proteins more efficiently; (2) those sequences which are derived from the sequence already existing in the plasmid by deletion, substitution or addition of one or more bases in any sequence near the existing left border sequence to be recognized by *vir* proteins more efficiently; (3) those sequences which contain a plurality of any sequences that can be recognized by *vir* proteins; and (4) any combinations of (1) - (3).

SEQUENCE LISTING

<110> Japan Tobacco Inc.

<120> Plant Transformation Vector

<130> YCT-441

<160> 5

<210> 1

<211> 12982

<212> DNA

<400> 1

```

aagcttgcat gccigcagtg cagcglgacc cggicglgcc cctcictaga galaatgagc   60
atigcatgic taagttataa aaaattacca cataatitit ttgtcacact tgtttgaagt   120
gcagtttatc tatctttata cataatitaa aactttactc tacgaataat ataattata   180
gtactacaat aatatcagig ttttagagaa tcatataaat gaacagttag acatggicta   240
aaggacaatt gagtattitg acaacaggac tctacagtit tatcttttta gigtgcatgt   300
gttctccitit ttttttgcaa atagcttcac ctatataata ctcatccat tttattagta   360
catccattta gggtttaggg ttaatggiti ttatagacta atttttttag tacaictatt   420
ttattctatt ttaggctcta aattaaagaa actaaaacit tattttagti tttttatita   480
ataattitaga tataaaatag aataaaataa agtgactaaa aattaaacaa atacccttta   540
agaaattaaa aaaactaagg aaacatitit ctgttttga gtagataatg ccagcctgtt   600
aaacgccgic gacgagicta acggacacca accagcgaac cagcagcgtc gcgtcgggcc   660
aagcgaagca gacggcacgg catctctgtc gctgcctctg gacccctctc gagagtccg   720
ctccaccgtt ggacttgctc cgcgtcggc atccagaaat tgcgtggcgg agcggcagac   780
gtagagccggc acggcaggcg gccctctctt cctctcacgg cacggcagct acgggggall   840
cctttccac cgctcttctg ctctcccttc ctgcccgcg gtaataaata gacacccct   900
ccacaccctc ttccccaac ctctgttgt tctggagcga cacacacaca accagatctc   960

```

EP 1 136 560 A1

ccccaaaacc acccgicggc acciccgccl caaggtagcg cgcicgiccl ccccccccc 1020
 ccciciclac ccticctaga tggcggtcc ggicccaggt tagggcccg tagticlac 1080
 5 tctgttcalg ttigtgttag atccglttt gtgttagatc cgtcgtgcta gcgttcgtac 1140
 accgatgcga cctgtacgtc agacacgttc tgalgtctaa ctigccagtg ttctcttltg 1200
 10 gggaatcctg ggatggcctc agccgttccg cagacgggat cgatttcalg attttttttg 1260
 ttctgttgca taggttttg ttgccccll tctttttll caalataatc cgtgcacttg 1320
 ttgtcgggt catctttica tcttttttt tgccttggtt gtagatgtt ggctcgggtg 1380
 15 ggcggtcgtt ctagatcgga glagaattct gtltcaact acctggtgga ttatattaat 1440
 ttggatcigt atgtgtgtc calacatatt catagtacg aatgaagat galggatgga 1500
 aatatcgatc taggataggt atacatgttg atcggggtt tactgatgca tatacagaga 1560
 20 tgccttttgt tgccttggtt gtagatgtt gggttggtt ggcggtcgtt caltcgtct 1620
 agatcggagt agaatactgt tcaaaactac ctggtgtatt tattaatttt ggaactgtat 1680
 25 gtgtgtgtca tacatcttca tagttacgag tttaagatgg atggaaatat cgatctagga 1740
 taggtataca tgttagtggt ggttttactg atgcataatc atgatggcat atgcagcatc 1800
 talcatatg ctctaacctt ggtaccta ctattataat aaacaagtat gttttataat 1860
 30 tattttgatc ttgatatact tggatgatgg catatgcagc agctataatg ggattttttt 1920
 agccctgcct tcatagcta ttatttgc tggtaactgt tctttgtcg atgtcaccc 1980
 35 tgtgttttg tgttacttct gcaggtcgac tctagaggat ccgcgtccgg gggcaatgag 2040
 atatgaaaaa gccigaactc accgcgacgt ctgtcgagaa gtltcgtatc gaaaagtctg 2100
 acagcgtctc cgacctgatg cagctctcgg agggcgaaga atctcgtct ttcagcttcg 2160
 40 atgtaggagg gcgtggatat gtcctgcggg taaatagctg cgcgatgtt tctacaaag 2220
 atcgttatgt ttatcggcac ttgcatcgg ccgcgtccc gatccggaa gtgcttgaca 2280
 ttggggaatt cagcgagagc ctgacctatt gcatctccc ccgtgcacag ggtgtcacgt 2340
 45 tgcaagacct gccigaaacc gaactgccc ctgtctgca gccggtcgcg gaggccatgg 2400
 atcgatcgc tgcggccgat cttagccaga cgagcgggtt cggcccttc ggaccgcaag 2460
 gaatcggta atacactaca tggcgtgatt tcatatgcgc gattgtgat cccatgtgt 2520
 50 atcactggca aactgtatg gacgacaccg tcatgtctc cgtcgcgag gctcctgatg 2580
 agctatgtc ttggccgag gactgcccg aagtcggca cctcgtgcac gcggaattcg 2640
 55 gctccaacaa tglctgacg gacaatggc gcataacagc ggtcatgtac tggagcgagg 2700

EP 1 136 560 A1

cgaatgllcgg ggatlcceaa tacgaggicg ccaacaicci cllctlgagg ccgltggllgg 2760
 5 cllgtalggg gcagcagacg cgctacticg agcggaggca tccggagcct gcaggatcgc 2820
 cgccggctccg ggcgtatalg ciccgcaltg gllctlgacca aciclaicag agcllggllg 2880
 acggcaatll cgalgatgca gcltgggcgc agggctcgaig cgacgcaatc glccgatccg 2940
 10 gagccgggac tgcggggcgt acacaaatcg cccgcagaag cgccggccgic tggaccgaig 3000
 gcctgltaga agtactcgcc gataglggaa accgacgccc cagcactcgt ccgagggcaa 3060
 aggaatagag tagatgccga ccgaacaacg gatccgicga cctgcagaga tcltcaaac 3120
 15 attlggcaat aaagllctct aagatlgaa ccltllgccg gllctlgcat gattatcata 3180
 taatttctgt tgaattacgt taagcatgta ataattaaca tglaatgcat gacgtlatit 3240
 20 atgagatggg tttttatgat tagagtcccg caallatata tttaatacgc gatagaaaac 3300
 aaaatatagc gcgcaaacia ggataaatta tcgcgcgcgg lgtcalctat gttactagat 3360
 cgaigataag clgtcaaaca tgagaattca glacattaaa aacgtccgca atgtgttall 3420
 25 aagllgtcta agcgtcaatl tgtttacacc acaatatatc ctgccaccag ccagccaaca 3480
 gclccccgac cggcagctcg gcacaaaatc accactcgal acaggcagcc catcagtcgg 3540
 ggacggcgic agcgggagag ccgtlglag gcggcagact ttgtcatgt taccgatgt 3600
 30 attcggaaga acggcaacta agctgcgggg ttgaaacac ggatgatctc gcggaggglia 3660
 gcalgtlgt lgtaacgaig acagagcggt gclgcciglg atcaaataic atctccctcg 3720
 35 cagagatccg aattatcagc cltcttaltc atttclcgct taaccgtgac aggcgtcga 3780
 tcltgagaac tatgccgaca taataggaaa tcgclggata aagccgclga ggaagctgag 3840
 tggcgctatt tclttagaag tgaacgttga cgatcgtcga ccglaccccg atgaattaat 3900
 40 tccgacgtac gllctgaaca cagclggata cltactlggg cgatlgltcat acatgacatc 3960
 aacaatgtac ccgtllgtgt aaccgtctcl tggaggltcg latgacacia glggtlcccc 4020
 tcagctlgcg actagaigti gaggaattcg atclaglaac atagatgaca ccgcgcgcga 4080
 45 taatttaacc tagtllgcgc gctatattll glltctatc gcgtattaaa tgtataatig 4140
 cgggactcta atcataaaaa cccatctcat aaataacgic atgcattaca tgltaattat 4200
 50 lacatgctta acglaaatca acagaaatta tatgataatc atcgcaagac cggcaacagg 4260
 attcaatctt aagaaactll atlgccaaat glltgaacga tcaatlcgag ctccgtacgc 4320
 aatccccac cgaggctgta gccacgaig gtcgccagg agagtgttg attcatgttl 4380
 55 tgcctccctg clcggtlltl taccgaagt tcaigccagt ccagcglltl tgcagcagaa 4440

EP 1 136 560 A1

aagccgccga cllcgglilg cggicgcgag tgaagalccc tlctllgltt cgcceaacgc 4500
 5 gcaatatgcc tlgcgaggic gcaaaalcgg cgaaaltcca laccilgltt cgcacgacgg 4560
 cgctgacgcg alcaaagacg cggigataca talccagcca tgcacaciga tactcttcac 4620
 tccacatgic ggtgtacatl gagtgcagcc cggclaacgt alccacgccc latlccgltg 4680
 10 tgataalcgg clgatgcagl tlctcllgcc aggccagaag tlctlllccc agtacctlct 4740
 clgccciltc caaatcgccg cltlggacat accatccgta ataacggltc aggcacagca 4800
 catcaaagag atcgctgatg giatcggigt gagcgtcgca gaacattaca tltagcgcagg 4860
 15 tgaicggacg cgtcgggicg agtltacggc tlgtllccgc cagtggcgaa atattccgt 4920
 gcactlccgg accgglatcc ggtlccgtgg caatactcca calcaccacg cltlgggtgg 4980
 20 tlltllcagc cgctalcagc lclttaatcg cctglaagtg cgctlgctga gtlccccgt 5040
 tgactgcctc tlcgctgtac agtlcttlcg gctltlgtcc cgcttcgaaa ccaatgccta 5100
 aagagagggt aaagccgaca gcagcagltt calcaatcac cacgatgcca tglcalctg 5160
 25 cccagtcgag calctcttca gcgtlaaggt aatgcgaggt accgtaggag tlggcccca 5220
 lccagltcat laatgcgtgg tclgtcacca lcagcacgtt atcgaalctt tlgccacgta 5280
 agtccgcalt tlcatgacga ccaaagccag taaagttaga cggtlgtgg ttaalcagga 5340
 30 actlgtccg cltcatgccc actgaccgga tgcgacgcg aagcgggtag atalcacact 5400
 clgtctggct tlgtgtgtg acgcacagtt catagagala accttcacc ggtlgtccaga 5460
 35 ggtlccgalt caccactlgt aaagtccgc tagtgccttg lccagtlgca accacctgtt 5520
 gatccgcalt acccagltca accgtgacat caccatlggc caccacctgc cagltcaacag 5580
 accgtlgtgt acagltlgtc gcgacatgcg tcaccacggt galatcgtcc acccaggtgt 5640
 40 tccggtlgtt glagagcatt accgtgcgat ggatlcggc atagtlaaag aaatcatgga 5700
 agtaagactg cltllctllg ccgtlllctg cggtaatcac caltcccggc gggataglt 5760
 gccagtlcag tlcgltlgtc acacaaacgg tgatacgtac actlltccc gcaataacal 5820
 45 accggtgtac atcggtlca aatggcgtat agccgccctg atgtccatc actlctgtat 5880
 tattgaccca cactlgtccg laatgagtga ccgcatcgaa acccagcacg atacgtgtgc 5940
 50 clgcccaccc tlccgtlata aagactlgtc gctgatacca gacgtlgtcc gcataattac 6000
 gaatalctgc atcggcgaac tgatcgttaa aactlccgtg cacagcaat gcccggtl 6060
 clgtlaacgc gctllccac caacgtgat caaltccaca gltllcgca lccagaciga 6120
 55 atgcccacag gccgtcgtat tlltltgtt caccgggtgg ggtlcttaca ggacggacga 6180

EP 1 136 560 A1

gtcgacgggt cigaaciat calcalcaic atagacacac gaaataaagt aatcagattia 6240
 5 tcagttaaag ctatgiaata lllacaccai aaccaalcaa ttaaaaaata galcagittia 6300
 aagaaagatc aaagcicaaa aaaataaaaa gagaaaaggg tcciaaccaa gaaaatgaag 6360
 gagaaaaact agaaatllac cctglaggga tccaigtict aggatctggi tglgtgtgtg 6420
 10 tgcgciccg acaacacgag gltggggaaa gaggggtlgtg aggggggtgtc latltaillac 6480
 ggccggcgag gaagggaag cgaaggagcg gltgggaaagg aalccccgt agctgccgtg 6540
 ccglgagagg aggaggaggc cgclgccgt gccggctcac gtcgccgt cgcacacgca 6600
 15 atllctggat gccgacagcg gagcaagtc aacgggtggag cggaacctic gagaggggtc 6660
 cagaggcagc gacagagaig ccgtgccgt tgcctgcct ggcccgacgc gacgtgtgtg 6720
 20 gtctgtgtt lgggtlccgt tagactgtc gacggcggtt aacaggctgg cattatctac 6780
 tcgaaacaag aaaaatgtt ccttagttt tllaattict taaagggtat tgltttaatt 6840
 tllagtcact ttatlltati ctatlltata tctaaattat taaataaaaa aactaaaaa 6900
 25 gagttttagt ttctttaatt tagaggctaa aatagaataa aatagatgia ctaaaaaat 6960
 tagtctataa aaaccattaa ccctaaacc taaatggatg tactaataaa atggatgaag 7020
 tattatatag gigaagctat ttgcaaaaaa aaaggagaac acatgcacac taaaaagata 7080
 30 aaactgtaga gtccgtgtt caaaatatic aatgttctt tagaccatgt ctaactgtc 7140
 atttataiga ttcttcaaaa cactgatatt attgtgtgtc tatagattat attatctgt 7200
 35 gagtaaagtt taaatataig tataaagata gataaactgc acttcaaca agtgtgacaa 7260
 aaaaaatag tggtaattt ttataactta gacatgcaat gctcattatc tclagagagg 7320
 ggcacgaccg ggtcacgtg cactgcaggc atgcaagctc ctaacattt attagagagc 7380
 40 aggctagltg cttagataca tcatcttcag gccgttatct gtcagggcaa gcgaaaatg 7440
 gccattatg acgaccaatg ccccgagaa gctcccatct ttgccgcat agacgccgag 7500
 45 ccccccttt ggggtgtaga acatcccttt gccagatgtg gaaaagaagt tclgtgtccc 7560
 attgttggca atgacgtgt agccggcgaa agtgcgagac ccatttgcgc tatatataag 7620
 cctacgatit ccgttgcgac latgtgtgia attggatgaa ctattatct agtgtgtc 7680
 50 agagtgtgtg taatttgatg gactatgtc gtaattgtt atggagtgt cgtagtgtc 7740
 tggagaaatg tclagtgtg atggggagta gcataggga agacgagctt calccactaa 7800
 aacaattggc aggtcagcaa gtgcctgcc cgtgccalc gcaagiacga ggcttgaac 7860
 55 caccttcaac agatcgcgca tagcttccc cagctctcia acgcttgagt taagccgcgc 7920

EP 1 136 560 A1

cgcaagcgg cgtcggttg aacgaatgt tagacattat ttgccgacta ccttgggtgat 7980
 5 ctcgccttcc acgtagttaa caaatcttcc caactgatct gcgcgcgagg ccaagcgatc 8040
 ttcttgtcca agataagcct gcctagcttc aagtagacg ggctgatact gggccggcag 8100
 gcgtccatt gccagtcgg cagcgacatc cticggcgcg attttgccgg ttactgcgt 8160
 10 gtacaaaatg cgggacaacg taagcactac atttcgtca tcgccagccc agtcgggcgg 8220
 cgagttccat agcgtaagg ttcatattag cgcctcaaat agatcctgtt caggaaccgg 8280
 atcaaagagt tcttcgccg ctggacctac caaggcaacg ctatgttctc ttgttttgt 8340
 15 cagcaagata gccagatcaa tgcgatcgt ggctggctcg aagatacctg caagaatgtc 8400
 attgcgtgc cattctcaa attgcagttc gcgttagct ggataacgcc acggaatgat 8460
 20 gtctgtctgc acaacaatgg tgacttctac agcgcggaga atctgcctc ctccagggga 8520
 agccgaagt ttccaaagg tctgatcaa agctcgccgc gtgtttcat caagccttac 8580
 ggtcacctga accagcaaat caatctact gtgtggcttc aggccgcat ccactgcgga 8640
 25 gccgtacaaa tgcacggcca gcaacgtcgg ttcgagatgg cgtcgtatga cgccaactac 8700
 ctctgatagt tgagtcgata cticggcgat caccgcttcc ctcatgatgt ttaactctg 8760
 aatlaagccg cggcggaag cgtgtcggc ttgaatgaat tgttaggcgt catcctgtc 8820
 30 tcccgagaac cagtaccagt acatcgctgt ttcttcgag acttgaggtc tagttttata 8880
 cgtgaacagg tcaatgccgc cgagagtaaa gccacattt gcgtacaaat tgcaggcagg 8940
 35 tacattgttc gtttgtgtc ctatcgtat gccaggagc tgcctgcta gtgcccactt 9000
 ttctgcaaat tcgatgagac tgcgcgcac tctttgcct cggtcggtgt gcgacacaac 9060
 aatgtgttcg atagaggcta gactgttcca tcttgagttg agttcaatct tcccgacaag 9120
 40 ctcttggtcg atgaatgcgc catagcaagc agagcttca tcagagtcct catccgagat 9180
 gtaatccttc cgttaggggc tcacattct ggtagatagt tcaaagcctt ggtcggatag 9240
 45 gtgcacatcg aacacttcac gaacaatgaa atggttctca gcatccaatg ttccgccac 9300
 ctgtcaggg atcacgaaa tcttcatatg acgcctaacg cctggcacag cggatcgcaa 9360
 acctggcgcg gctttggca caaaaggcgt gacaggtttg cgaatccgtt gctgccactt 9420
 50 gtaaccctt ttgccagatt tggtaactat aatttaatt agaggcgaag tcttgggttaa 9480
 aaactggcct aaaaatgtc gggatttcag gaaagttaa atcaccttcc ggctcgatgt 9540
 ctatgtlaga tatatgtat gtaactactt gatcggggga tctgtgctt cgcgcgttc 9600
 55 ggtgatgacg gtgaaaacct ctgacacatg cagctcccgg agacggtcac agcttgtctg 9660

EP 1 136 560 A1

1aagcggatg ccgggagcag acaagcccg t cagggcgct cagcgggtgt tggcgggtgt 9720
 cggggcgag ccaigacca gtcacgtagc galagcggag tgtatctgg cttaactatg 9780
 5 cggcaltaga gcagattga ctgagagtc accatatgcg gtgtgaaata ccgcacagat 9840
 gcglaaggag aaaataccgc atcaggcgct ctccgcctc ctgcctcact gactcgctgc 9900
 10 gctcggtcgt tggctgcgg cgagcggat cagctcact aaaggcggta atacggltat 9960
 ccacagaatc aggggataac gcaggaaaga acatgtgagc aaaaggccag caaaaggcca 10020
 ggaaccgtaa aaaggccggt ttgctggcgt ttttccatag gctccgcccc ccgacgagc 10080
 15 atcacaaaaa tgcagctca agtcagaggt ggcgaaacc gacaggacta taaagatacc 10140
 aggcgtttcc ccttggagc tccctcgtgc gctcctcgt tccgacctg ccgtttaccg 10200
 gataccgtc cgcctttc ccttcgggaa gctggcgct ttctcatagc taccgtctga 10260
 20 ggtatctcag ttcggtgtag gtcgttcgt ccaagctggg ctgtgtgcac gaaccccccg 10320
 ttacgcccga ccgctgcgc ttatccggt aatctcgt ttagtccaac ccggtlaagac 10380
 25 acgacttat gccactggca gcagccactg gtaacaggat tagcagagcg aggtatgtag 10440
 gcggigtac agagtcttg aagtggtggc ctactacgg ctacactaga aggacagtat 10500
 ttgttatctg cgtctcgtg aagccagta ccttcggaaa aagagtgtgt agctcttga 10560
 30 ccggcaaaaa aaccaccgt ggtagcgggt gttttttgt ttgcaagcag cagattacgc 10620
 gcagaaaaaa aggatctcaa gaagatcct tgccttttc tacggggtct gacgtcagt 10680
 35 ggaacgaaaa ctacgttaa gggattttg tcatgagatt atcaaaaagg atcttcacct 10740
 agatcctttt aaattaaaa tgaagttaa aatcaatca aagtatatat gattaaact 10800
 ggctgacag ttaccaatgc ttaatcagtg aggcacctat ctacagatc tgtctattc 10860
 40 gtatccat agttgcctga ctccccgtg tgtagataac tacgatacgg gagggcttac 10920
 catctggccc cagtctgca atgataccgc gagaccacg ctaccggct ccagatttat 10980
 cagcaataaa ccagccagcc ggaagggcgg agcgagaag tggctctgca actttatccg 11040
 45 cctccatcca gctattaat ttgtccggg aagctagagt aagtagttc ccagttata 11100
 gtgtgcgaa cgttgttgc attgtcag gggggggggg ggggggggac ttccattgt 11160
 50 catccacgg aaaaaacag agaaaggaaa cgacagagc caaaaagcct cgttttcagc 11220
 accgtcgtt tctttctt tccagaggga ttttaataa aaacattag ttatgacgaa 11280
 gaagaacgga aacgcttaa accggaaa tttcataaa agcgaaaacc cgcgaggctg 11340
 55 ccgccccgt accgtcga taccggaaa ggaccgtaa agtgataag attatcatc 11400

acataacaca acgtgcgtgg aggccatcaa accacgtcaa ataatcaatt atgacgcagg 11460
 tatcgtatla atlgatcgc atcaacttaa cglaaaaaa acitcagaca atacaaatca 11520
 5 gcgacaciga atacggggca acctcatgtc ccccccccc cccccctgc aggcatcgtg 11580
 gtgtcacgct cgtcgtttgg taaggcttca ttacgtccg gtcccaacg atcaaggcga 11640
 10 gtatcatgat ccccatgtt gtagaaaaa gcggttagct ccttcgggcc tccgatcgtt 11700
 gtacagaagta agttggccgc agtgttatca ctcatggta tggcagcact gcataattct 11760
 ctactgtca tgcacccgt aagaatctt tctgtacgt gtgagttac aaccaagtca 11820
 15 ttctgagaat agtgtatcg gcgaccgagt tgccttgcg cggcgtcaac acgggataat 11880
 accgcgccac atagcagaac tttaaaagtg ctcatcatt gaaaacgtt ttcggggcga 11940
 aaacttcaa ggtatctacc gctgttga tccagttca tgaaccac tctgtcacc 12000
 20 aactgatctt cagcatctt tactttacc agcgttctg ggtgagcaa aacaggaagg 12060
 caaaatgccg caaaaaagg aataaggcg acacggaaat gtgaatact catacttct 12120
 25 cttttcaat attatigaag catttatcag ggttatgtc tcatgagcgg atacataat 12180
 gaatglatit agaaaaata acaaatagg gtccgcgcga catttccccg aaaagtcca 12240
 cctgacgtct aagaaccat tattatcatg acattacct alaaaaatag gcgtatcacg 12300
 30 agggcccttc gtttcaaga attggtcgac gatcttgcg cgttcggata ttttcgtgga 12360
 gtcccgcca cagaccgga ttgaaggcga gatccagca ctgcgccag atcatcctgt 12420
 35 gacggaactt tggcgcgtga tgcgtggcca ggacgtcggc cgaaagagcg acaagcagat 12480
 cagcctttc gacagcgtc gatttgcgt caggatttt tggcgctgc gctacgtccg 12540
 cgaccgcgtt gagggatcaa gccacagcag cccactcgac ctcttagccg acccagacga 12600
 40 gccaaaggat ctttttgga tgcgtctcc tctcaggct tccgacgtt tgggtgttg 12660
 aacagaagtc attatcgtac ggaatgcaa gcactccga ggggaacct gtggttggca 12720
 tgcacalaca atggacgaa cggataaacc ttctacgcc ctlttaata tccgtatct 12780
 45 taataaacgc tctttctct laggttacc cgccaalata tccgtcaaa cactgatagt 12840
 ttaaacigaa ggcgggaaac gacaatcga tcatgagcg agaattaagg gactcacgtt 12900
 50 atgacccccg ccgatgacg gggacaagcc gttttacgt tggaaatgac agaaccgcaa 12960
 cgttgaagga gccactcagc cc 12982

55 <210> 2

<211> 90

<212> DNA

<223> LB sequences are 1-25 and 55-70.

<400> 2

ATTTACAATT GAATATATCC TGCCGccgct gccgctttgc acccgATTTA CAATTGAATA 60

TATCCTGCCG ccgctgccgc ttgcacccg 90

<210> 3

<211> 90

<212> DNA

<400> 3

cgggtgcaaa gcggcagcgg cggcaggata tatcaattg laaatcgggt gcaaagcggc 60

agcggcggca ggatatattc aattgtaaat 90

<210> 4

<211> 25

<212> DNA

<400> 4

catctctcgc ttaaccgiga caggc 25

<210> 5

<211> 25

<212> DNA

<400> 5

aaaccgcagc agggaggcaa acaat 25

Claims

1. A plant transformation vector based on the function of *Agrobacterium*, wherein the left border sequence has been modified such as to reduce the possibility of the integration of any non-T-DNA segment into plant chromosomes.
2. A plant transformation vector comprising a right border sequence and a left border sequence that can be recognized by the *vir* proteins of *Agrobacterium*, a T-DNA region located between these border sequences and into which a

EP 1 136 560 A1

gene to be introduced into the plant can be inserted, and a replication origin that enables replication of said vector in bacteria, wherein said left border sequence has been modified such as to reduce the possibility of integration of any non-T-DNA segment into plant chromosomes.

- 5 3. The plant transformation vector according to claim 1 or 2, wherein the modification of the left border sequence comprises more than one left border sequence.
- 10 4. The plant transformation vector according to any one of claims 1 to 3, wherein the T-DNA sequence contains a marker gene that permits the selection of the transformant.
- 15 5. The plant transformation vector according to any one of claims 1 to 4, wherein the replication origin permits replication of the vector in bacteria including bacteria for vector amplification and *Agrobacterium*.
6. A method of transforming plants comprising using an *Agrobacterium* host cell containing the vector according to any one of claims 1 to 5.
7. A plant transformed by the method of claim 6.

20

25

30

35

40

45

50

55






Fig. 1

pSLB0



pSLB2



pSLB3




Fig. 2

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/05386

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl ⁷ C12N 15/82, A01H 5/00		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁷ C12N 15/00-15/90		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) BIOSIS (DIALOG), WPI (DIALOG)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Plant Molecular Biology, 34, 1997 Allan Wenck et al., "Frequent collinear long transfer of DNA inclusive of the whole binary vector during Agrobacterium-mediated transformation" pp.913-922	1-7
A	Proc. Natl. Acad. Sci. USA, 83, 1986 Horsch RB et al., "Rapid assay of foreign gene expression in leaf discs transformed by Agrobacterium tumefaciens: role of T-DNA borders in the transfer process" pp.4428-4432	1-7
A	Plant Cell, 6, 1994 Martineau B. et al., "On defining T-DNA" pp.1032-1033	1-7
A	Proc. Natl. Acad. Sci. USA, 83, June 1986 George C. Jen et al., "The right border region of pTiT37 T-DNA is intrinsically more active than the left border region in promoting T-DNA transformation" pp.3895-3899	1-7
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family
Date of the actual completion of the international search 17 December, 1999 (17.12.99)		Date of mailing of the international search report 28 December, 1999 (28.12.99)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/05386

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Cell, 57, June 2, 1989 Guus Bakkeren et al., "Recovery of Agrobacterium tumefaciens T-DNA molecules from whole plants early after transfer", pp.647-657	1-7
A	Database BIOSIS on DIALOG, No.199900483906 Hanson Bill et al., "A simple method to enrich an Agrobacterium-transformed population for plants containing only T-DNA sequences", Plant Journal, 19(6), September, 1999, pp.727-734	1-7
A	Database BIOSIS on DIALOG, No.199598547959 Ramanathan V. et al., "Transfer of non-T-DNA portions of the Agrobacterium tumefaciens Ti plasmid pTiA6 from the left terminus of T-L-DNA", Plant Molecular Biology, 28(6), 1995, pp.1149-1154	1-7

Form PCT/ISA/210 (continuation of second sheet) (July 1992)